



## 14c Vario Tool ART.593.196.7

Length (in/mm)	29.8/757
Width (in/mm)	9.3/236
Depth (in/mm)	8.6/218
Weight (lbs/kgs)	34.8/15.8
Opening (in/mm)	14.1/358
Max. Cutting Force (lbs/kN)	102,600/456
Max. Spreading Force (lbs/kN)	72,225/321
Max. Pulling Force (lbs/kN)	11,700/52
Max. Operating Pressure (psi/bar)	10,500/720
NFPA Compliant	Yes
Travel Distance (in/mm)	13.7/348
Max. Pulling Distance (in/mm)	17/433
NFPA 1936 Level Rating	A6/B8/C6/D8/E8
Opening Time (sec)	3.3
Closing Time (sec)	3.9
Shipping Weight (lbs/kgs)	44/20
Box Size (ft <sup>3</sup> /M <sup>3</sup> )	2.16/.061
Box Dimensions (in/mm)	36 x 11.5 x 9 914 x 292x 229

**Features:** Constructed of high strength, aircraft grade, aluminum alloy forgings with a wear resistant anodized finish. The blades on the 14c Vario are forged steel. The 14c Vario has a “D” handle that can be rotated 360 degrees or removed when working in confined spaces. The 14c Vario has a variable speed, “deadman” control with load holding capability and over-pressurization relief.

**Accessories:** Standard Chain Package. Quick Adjust Chain Package. Pulling Attachments.

**Comments:** This tool is currently in production and is NFPA 1936 Compliant and comes with a handle guard.

**GENESIS**  
RESCUE SYSTEMS